CONTENTS OF VOLUME 19

Number 1

Review
Gopal B. Saha, Raymundo T. Go and William J. MacIntyre — 1 Radiopharmaceuticals for cardiovascular imaging

Kayoko Nakamura, Aida Ruiz-Juvera, Atsushi Kubo and **Shozo Hashimoto** — 21 Evaluation of the ^{111}In-(Sn)-citrate method to label antibodies for radioimmunotargeting studies

Kazuo Kubota, Kiichi Ishiwata, Susumu Yamada, Roko Kubota, Tachio Sato, Jutaro Takahashi, Hiroshi Ito, Tatsuo Ido and **Masao Tada** — 27 Dose–responsive effect of radiotherapy on the tumor uptake of L-[methyl-^{11}C]methionine; feasibility for monitoring recurrence of tumor

Kazuya Matsumoto, Yasuhisa Fujibayashi, Yasushi Arano, Kouichi Wada and **Akira Yokoyama** — 33 ^{62}Cu-labeled bifunctional radiopharmaceuticals with metabolizable ester groups

Kazuya Matsumoto, Yasuhisa Fujibayashi, Yoshiharu Yonekura, Kouichi Wada, Yasutaka Takemura, Junji Konishi and **Akira Yokoyama** — 39 Application of the new zinc-62/copper-62 generator: an effective labeling method for ^{62}Cu-PTSM

Basant L. Malpani, Gururaj V. Kadival and **Aban M. Samuel** — 45 Radioimmunoscintigraphic approach for the *in vivo* detection of tuberculomas—a preliminary study in a rabbit model

Heikki Minn, Lauri Kangas, Pirkko Kellokumpu-Lehtinen, Pekka Klemi, Hannu Sipilä, Jouni Vuorinen, Pirkko Härkönen and **Matti Lähde** — 55 Uptake of 2-fluoro-2-deoxy-D-[U-^{14}C]glucose during chemotherapy in murine Lewis lung tumor

Gillian F. Morgan, Marcel Deblaton, Paul Van den Broeck, Benoit Bastin, Robert Pirotte, Philippe Michel, Pierre Clemens, Ulrich Abram and **John R. Thornback** — 65 Synthesis and biological studies of neutral technetium(V) complexes containing NNOS donor sets

K. Leesmeister and **K. Schwochau** — 73 Synthesis, characterization and biodistribution of tris(β-diketonato)technetium(III) complexes

James R. Ballinger and **I. Boxen** — 79 Gallium-67-labelled red blood cells as a blood-pool marker for dual-isotope imaging

Richard P. Spencer, Fazle Hosain and **Khalid A. Yoosufani** — 83 Bone density variation within lumbar vertebrae in apparently normal women

Irwin Fand, Robert M. Sharkey, John P. Grundy and **David M. Goldenberg** — 87 Localization by whole-body autoradiography of intact and fragmented radiolabeled antibodies in a metastatic human colonic cancer model

Technical Note
Meral Tayan Ercan and **Heinz Kriegel** — 101 Autoradiography of lymph nodes with ^{99m}Tc-dextran in rabbits

Letter to the Editors
Noriko Shimura, Shuji Kojima, Akiko Kubodera, Kazuhiko Kubota, Toshio Takahashi and **Hiyoshimaru Oyamada** — 105 Radioimmunodetection of human colon cancer using ^{99m}Tc–MDP–MoAb-A7 in mice

Abstracts from the International Symposium on Nuclear Imaging in Drug Discovery, Development and Approval — 111

Announcement — 140

Number 2

James F. Kronauge, Mary L. Chiu, Jeffrey S. Cone, Alan Davison, B. Leonard Holman, Alun G. Jones and David Piwnica-Worms — 141 Comparison of neutral and cationic myocardial perfusion agents: characteristics of accumulation in cultured cells

A. Luxen, M. Guillaume, W. P. Melega, V. W. Pike, O. Solin and R. Wagner — 149 Production of 6-[^{18}F]fluoro-L-DOPA and its metabolism *in vivo*—a critical review

J. E. Cremer, S. P. Hume, B. M. Cullen, R. Myers, L. G. Manjil, D. R. Turton, S. K. Luthra, D. M. Bateman and V. W. Pike — 159 The distribution of radioactivity in brains of rats given [*N*-methyl-^{11}C]PK 11195 *in vivo* after induction of a cortical ischaemic lesion

Jean N. DaSilva, Christian Crouzel, Oscar Stulzaft, Marina Khalili-Varasteh and Philippe Hantraye — 167 Synthesis, tissue distribution in rats and PET studies in baboon brain of no-carrier-added [^{18}F]RU 52461: *in vivo* evaluation as a brain glucocorticoid receptor radioligand

H. Ali, J. Rousseau, M. Diksic and J. E. van Lier — 175 Synthesis, receptor binding and target-tissue uptake of carbon-11-labeled carbamate derivatives of estradiol and hexestrol

S. Osman and H. J. Danpure — 183 The use of 2-[^{18}F]fluoro-2-deoxy-D-glucose as a potential *in vitro* agent for labelling human granulocytes for clinical studies by positron emission tomography

E. Livni, Alan J. Fischman, Stephen Ray, Ian Sinclair, David R. Elmaleh, Nathaniel M. Alpert, Stephen Weiss, John A. Correia, Douglas Webb, Robert Dahl, William Robeson, Donald Margouleff, Robert Liss, H. William Strauss and Robert H. Rubin — 191 Synthesis of ^{18}F-labeled fluconazole and positron emission tomography studies in rabbits

G. J. Beyer, R. Bergmann, G. Kampf, P. Mäding and F. Rösch — 201 Simultaneous study of the biodistribution of radio-yttrium complexed with EDTMP and citrate ligands in tumour-bearing rats

A. Najafi, M. M. Alauddin, A. Sosa, G. Q. Ma, D. C. P. Chen, A. L. Epstein and M. E. Siegel — 205 The evaluation of ^{186}Re-labeled antibodies using N_2S_4 chelate *in vitro* and *in vivo* using tumor-bearing nude mice

Virginia K. Langmuir — 213 Radioimmunotherapy: clinical results and dosimetric considerations

W. Vaalburg, H. H. Coenen, C. Crouzel, Ph. H. Elsinga, B. Långström, C. Lemaire and G. J. Meyer — 227 Amino acids for the measurement of protein synthesis *in vivo* by PET

C. Wu, F. Virzi and D. J. Hnatowich — 239 Investigations of N-linked macrocycles for ^{111}In and ^{90}Y labeling of proteins

Irene Virgolini, J. O'Grady, Graziana Lupattelli, F. Rauscha, P. Angelberger, S. Ventura and H. Sinzinger — 245 *In vivo* quantification of cholesterol content in human carotid arteries by quantitative gamma-camera imaging after injection of autologous low density lipoproteins (LDL)

Announcement — I

Number 3

Nada Vanlić-Razumenić, Natalija Pujić, Nasta Dedović, Kosta Kostić and Danica Nastić-Mirić — 251 Labelling of leukocytes with ^{99m}Tc–HMPAO for scintigraphy of inflammatory lesions and abscesses

C. Foulon, D. Guilloteau, J. L. Baulieu, M. J. Ribeiro-Barras, G. Desplanches, Y. Frangin and J. C. Besnard — 257 Estrogen receptor imaging with 17α-[^{123}I]iodovinyl-11β-methoxyestradiol (MIVE$_2$)—Part I. Radiotracer preparation and characterization

M. J. Ribeiro-Barras, C. Foulon, J. L. Baulieu, D. Guilloteau, P. Bougnoux, J. Lansac and **J. C. Besnard** — 263 Estrogen receptor imaging with 17α-[^{123}I]iodovinyl-11β-methoxyestradiol ($MIVE_2$)—Part II. Preliminary results in patients with breast carcinoma

C. S. John, E. O. Schlemper, P. Hosain, C. H. Paik and **R. C. Reba** — 269 Synthesis, characterization and biodistribution of a new hexadentate aminethiol ligand labeled with Tc-99m

Ganesan Vaidyanathan and **Michael R. Zalutsky** — 275 Labeling proteins with fluorine-18 using *N*-succinimidyl 4-[^{18}F]fluorobenzoate

J. Kropp, K. R. Ambrose, F. F. Knapp Jr, H. P. Nissen and **H. J. Biersack** — 283 Incorporation of radioiodinated IPPA and BMIPP fatty acid analogues into complex lipids from isolated rat hearts

Leslie A. Khawli, Annick D. Van den Abbeele and **Amin I. Kassis** — 289 *N*-(*m*-[^{125}I]Iodophenyl)maleimide: an agent for high yield radiolabeling of antibodies

Leslie A. Khawli and **Amin I. Kassis** — 297 *m*-[^{125}I]Iodoaniline: a useful reagent for radiolabeling biotin

K. Shiba, H. Mori, H. Matsuda and **K. Hisada** — 303 Technetium-99m *p*-iodophenethyldiaminodithiol (DADT-IPE): potential brain perfusion imaging agent for SPECT

Kiichi Ishiwata, Tatsuo Ido, Chihiro Honda, Mieko Kawamura, Masamitsu Ichihashi and **Yutaka Mishima** — 311 4-Borono-2-[^{18}F]fluoro-D,L-phenylalanine: a possible tracer for melanoma diagnosis with PET

Raymond E. Gibson, H. Donald Burns, Holly H. Thorpe, Wai-si Eng, Richard Ransom and **Howard Solomon** — 319 *In vivo* binding and autoradiographic imaging of (+)-3-[^{125}I]Iodo-MK-801 to the NMDA receptor–channel complex in rat brain

Zaihui Zhang, Donald M. Lyster, Gordon A. Webb and **Chris Orvig** — 327 Potential ^{67}Ga radiopharmaceuticals for myocardial imaging: tris(1-aryl-3-hydroxy-2-methyl-4-pyridinonato)gallium(III) complexes

S. M. N. Efange, A. K. Dutta, R. H. Michelson, H. F. Kung, J. R. Thomas, J. Billings and **R. J. Boudreau** — 337 Radioiodinated 2-hydroxy-3-(4-iodophenyl)-1-(4-phenylpiperidinyl)-propane: potential radiotracer for mapping central cholinergic innervation *in vivo*

C. M. Keriel, F. M. Dubois, D. S. Marti Batlle, C. R. Pernin, X. M. Leverve, J. P. Mathieu, M. Comet and **P. J. Cuchet** — 349 Assessment of iodohexadecenoic acid as a tracer of fatty acid metabolism by external detection: a study on isolated rat heart

Alan B. Packard and **Carol Lambert** — 357 Evaluation of osmium(II)–nitrosyl complexes as a method to increase the yield of the ^{191}Os–^{191m}Ir generator

Henry F. VanBrocklin, Martin G. Pomper, Kathryn E. Carlson, Michael J. Welch and **John A. Katzenellenbogen** — 363 Preparation and evaluation of 17-ethynyl-substituted 16α-[^{18}F]fluoroestradiols: selective receptor-based PET imaging agents

G. Bormans, B. Cleynhens, M. Hoogmartens, M. de Roo and **A. Verbruggen** — 375 Evaluation of ^{99m}Tc-mercaptoacetyltripeptides in mice and a baboon

Timothy R. DeGrado and **Detlef C. Moka** — 389 Non-β-oxidizable ω-[^{18}F]fluoro long chain fatty acid analogs show cytochrome *P*-450-mediated defluorination: implications for the design of PET tracers of myocardial fatty acid utilization

S. Nagamachi, K. Inoue, H. Hoshi, S. Jinnouchi, T. Ohonishi, S. Futami, K. Watanabe, M. Wakisaka and **Y. Morotomi** — 399 Lung scintigraphy with [^{123}I]IMP in patients with pulmonary tuberculosis

Manhar M. Vora and **Mohammed Dhalla** — 405 *In vivo* studies of unlabeled and radioiodinated rhodamine-123

Alan Daugherty, Michael R. Kilbourn, Carmen S. Dence, Burton E. Sobel and **Suzanne R. Thorpe** — 411 Quantitative assessment of lipoprotein metabolism by positron emission tomography with an ^{18}F-containing residualizing label

Technical Note

Renato B. del Rosario, Lee Ann Baron, Richard G. Lawton and **Richard L. Wahl** — 417 Streptavidin-biotinylated IgG conjugates: a simple procedure for reducing polymer formation

Corrigendum — I

Number 4

Muhammad Ashraf Tariq and **Ivor L. Preiss** 423 Time-dependent distribution of selenate and selenite selenium in male C57L/J mice

Susan L. Madsen, Michael J. Welch, Ramunas J. Motekaitis and **Arthur E. Martell** 431 $^{68}GaTHM_2BED$: a potential generator-produced tracer of myocardial perfusion for positron emission tomography

Mian M. Alauddin, Leslie A. Khawli and **Alan L. Epstein** 445 An improved method of direct labeling monoclonal antibodies with ^{99m}Tc

Hideo Saji, Daisuke Tsutsumi, Yoshiaki Kiso, Satoshi Iimuma, Tsutomu Mimoto, Kenichi Akaji, Yasuhiro Magata, Hideo Nakamura, Atsuko Kita, Junji Konishi and **Akira Yokoyama** 455 Synthesis and biological evaluation of a ^{13}N-labeled opioid peptide

Martin G. Pomper, Monica J. Kochanny, Andrea M. Thieme, Kathryn E. Carlson, Henry F. VanBrocklin, Carla J. Mathias, Michael J. Welch and **John A. Katzenellenbogen** 461 Fluorine-substituted corticosteroids: synthesis and evaluation as potential receptor-based imaging agents for positron emission tomography of the brain

Th. Maina and **E. Chiotellis** 481 Synthesis, radiochemistry and biological evaluation of technetium-99m complexes with 1,8-diamine-3,6-dithiaoctane (DDO) ligands

John Baldas and **John Bonnyman** 491 Preparation, HPLC studies and biological behaviour of ^{99m}Tc- and ^{99m}TcN-radiopharmaceuticals based on quinoline type ligands

B. Mazière, H. H. Coenen, C. Halldin, K. Någren and **V. W. Pike** 497 PET radioligands for dopamine receptors and re-uptake sites: chemistry and biochemistry

Corrigendum I

Announcements III

Number 5

Jesse Baumgold, Pei-ying Ling and **Richard C. Reba** 513 Use of *ex vivo* binding to measure the brain concentrations of putative radioligands

C. H. Paik, V. K. Sood, N. Le, L. Cioloca, J. A. Carrasquillo, J. C. Reynolds, R. D. Neumann and **R. C. Reba** 517 Radiolabeled products in rat liver and serum after administration of antibody–amide–DTPA–indium-111

Hideo Saji, Yasuhiko Iida, Yasuhiro Magata, Yoshiharu Yonekura, Yasushi Iwasaki, Satoshi Sasayama, Junji Konishi, Iwao Nakatsuka, Kunio Shiba, Akira Yoshitake and **Akira Yokoyama** 523 Preparation of ^{123}I-labeled 2′-iodospiperone and imaging of D_2 dopamine receptors in the human brain using SPECT

Hideo Saji, Yuji Kuge, Kazutaka Yamamoto, Yasuhiro Magata, Yoshiharu Yonekura, Junji Konishi and **Akira Yokoyama** 531 Accumulation of radioactivity in the pancreas after intravenous administration of [^{13}N]ammonia

William T. Phillips, Alan S. Rudolph, Beth Goins, James H. Timmons, Robert Klipper and **Ralph Blumhardt** 539 A simple method for producing a technetium-99m-labeled liposome which is stable *in vivo*

Makiko Suehiro, Ursula Scheffel, Robert F. Dannals, Alan A. Wilson, Hayden T. Ravert and **Henry N. Wagner Jr** 549 Synthesis and biodistribution of a new radiotracer for *in vivo* labeling of serotonin uptake sites by PET, *cis*-*N*,*N*-[^{11}C]dimethyl-3-(2′,4′-dichlorophenyl)-indanamine (*cis*-[^{11}C]DDPI)

Muhammad Ashraf Tariq and **Ivor L. Preiss** 555 [^{75}Se]Selenite and [^{75}Se]selenate fluctuations during the development of murine hepatoma

Marc S. Berridge, Emily H. Cassidy, Andrew H. Terris and **Jean-Marc Vesselle** 563 Preparation and *in vivo* binding of [^{11}C]carazolol, a radiotracer for the beta-adrenergic receptor

Chester A. Mathis, John E. Bishop, John M. Gerdes, John M. Whitney, Kathleen M. Brennan and **William J. Jagust** — 571 Synthesis and evaluation of high affinity, aryl-substituted [^{18}F]fluoropropylbenzamides for dopamine D-2 receptor studies

Alberto L. Horenstein, Amalia Koss, Lucas L. Colombo and **Horacio M. Glait** — 589 Specific biodetection of a murine spontaneous mammary carcinoma with labelled anti-human blood group-A monoclonal antibody

Technical Note

C. Foulon, L. Garreau, S. Chalon, G. Desplanches, Y. Frangin, J.-C. Besnard, J. L. Baulieu and **D. Guilloteau** — 597 Synthesis and *in vitro* binding properties of halogenated analogues of GBR as new dopamine uptake carrier ligands

Letter to the Editors

J. Clerc, M. Izembart and **L. Barritault** — 601 ^{131}I therapy in diffuse goiters: should we still use uptake free methods to calculate activities?

Number 6

Editorial

Michael R. Kilbourn — 603 Shades of grey: radiopharmaceutical chemistry in the 1990s and beyond

General Papers

Z. M. Zhang, J. R. Ballinger, K. Sheldon and **I. Boxen** — 607 Evaluation of reduction-mediated labelling of antibodies with technetium-99m

Kiichi Ishiwata, Toshihiro Takahashi, Ren Iwata, Michio Tomura, Masao Tada, Jun Itoh, Motonobu Kameyama and **Tatsuo Ido** — 611 Tumor diagnosis by PET: potential of seven tracers examined in five experimental tumors including an artificial metastasis model

Matsutaro Murakami, Yasushi Kondoh, Yin Weimin, Sigenori Mizusawa, Hiroyuki Nakamichi, Kazuhiro Takahashi, Hiroshi Sasaki, Hidehiro Iida, Shuichi Miura, Iwao Kanno and **Kazuo Uemura** — 619 A convenient method for regional monoamine oxidase-A determination by [^{14}C]clorgyline autoradiography

C. Sawas-Dimopoulou, E. Papanastasiou, A. Angelis, N. Toubanakis and **L. Margaritis** — 627 Tissue localization of [^{125}I]triiodothyronine in the periorbital area of mice: a microautoradiographic study

S. W. Schwendner, J. P. Weichert, M. A. Longino, M. D. Gross and **R. E. Counsell** — 639 Potential organ or tumor imaging agents. 32. A triglyceride ester of *p*-iodophenyl pentadecanoic acid as a potential hepatic imaging agent

R. L. E. Ehrenkaufer, S. Klam, K. Makoroff, S. Giandinoto, T. Morton, D. Moroney and **P. Nowak** — 651 Internal-surface reversed-phase chromatography for plasma metabolite analysis of radiopharmaceuticals

James W. Fleshman, Judith M. Connett, David M. Neufeld, Todd J. Garvin and **Gordon W. Philpott** — 659 Tumor localization and radioimaging with mixtures of radioiodinated monoclonal antibodies directed to different colon cancer associated antigens

K. Y. Pak, M. A. Nedelman, S. H. Tam, E. Wilson and **P. E. Daddona** — 669 Labeling and stability of radiolabeled antibody fragments by a direct ^{99m}Tc-labeling method

N. C. Goomer, P. V. Kulkarni, A. Constantinescu, P. Antich, R. W. Parkey and **J. R. Corbett** — 679 Synthesis and evaluation of technetium-99m monocationic mixed ligand complexes of phenyl substituted/condensed tetradentate Schiff's bases and trimethylphosphine

U. Schilling, E. A. Friedrich, H. Sinn, H. H. Schrenk, J. H. Clorius and **W. Maier-Borst** — 685 Design of compounds having enhanced tumour uptake, using serum albumin as a carrier—Part II. *In vivo* studies

Ingrid D. Baerga, Roger P. Maickel and **Mark A. Green** — 697 Subcellular distribution of tissue radiocopper following intravenous administration of ^{67}Cu-labeled Cu-PTSM

Technical Note
A. Freud, A. Canfi and M. Zafran 703 A convenient synthesis of *N*-succinimidyl-3-iodo-[^{125}I]benzoate, a reagent for protein iodination

Letter to the Editors
N. Nair, U. N. Nayak, P. Ramanathan, N. Ramamoorthy and S. S. Sachdeva 705 Utility of technetium-t-butyl isonitrile (^{99m}Tc-TBI) myocardial imaging in coronary artery disease

Number 7

Aren van Waarde, Joan G. Meeder, Paul K. Blanksma, Jaap Bouwer, Gerben M. Visser, Philip H. Elsinga, Anne M. J. Paans, Willem Vaalburg and Kong I. Lie 711 Suitability of CGP-12177 and CGP-26505 for quantitative imaging of β-adrenoceptors

Jakobína Grétarsdóttir, Eva Forssell Aronsson, Lars Jacobsson, Ólöf Hafsteinsdóttir, Stig Holmberg, Larsolof Hafström, Sture Lindegren, Börje Karlsson, Leif Lindholm and Sören Mattsson 719 Comparison of the biodistribution of ^{75}Se- and ^{131}I-labelled monoclonal antibodies in nude mice

Chinda Lerthirunwong, Kenneth T. Cheng and William B. Hladik III 727 A study of the concept of non-radioactive unit-dosed reagent kits [cold unit doses (CUDs)] as an efficient and cost-saving method for ^{99m}Tc radiopharmaceutical preparation

C. Ho, N. V. Emanuele, L. Kirsteins and A. M. Lawrence 737 *In vivo* studies of ethanol on prolactin and luteinizing hormone in rats and mice

John Baldas and John Bonnyman 741 Preparation and biological behaviour of some neutral ^{99m}Tc–carbonyl dithiocarbamates showing rapid hepatobiliary excretion

Kazuo Kubota, Kiichi Ishiwata, Masao Tada, Susumu Yamada, Roko Kubota, Ren Iwata, Kazunori Sato, Koji Kimata and Tatsuo Ido 747 Investigation of tumor metastatic potential with *N*-[^{18}F]fluoroacetyl-D-glucosamine

Izumi Ogihara-Umeda, Toru Sasaki and Hideo Nishigori 753 Development of a liposome-encapsulated radionuclide with preferential tumor accumulation—the choice of radionuclide and chelating ligand

J. A. Van der Krogt, E. K. J. Pauwels, P. A. P. M. Van Doremalen, G. Wijnhoven, S. Reiffers, C. F. M. Van Valkenburg and O. J. S. Buruma 759 4-[^{123}I]Iodospiperone as a ligand for dopamine DA receptors: *in vitro* and *in vivo* experiments in a rat model

Kathleen P. Plotzke, Terushi Haradahira, Louis Stancato, Norman M. Olken, Scott Skinner, Milton D. Gross, Richard L. Wahl and Raymond E. Counsell 765 Selective localization of radioiodinated alkylphosphocholine derivatives in tumors

Laura E. DeForge, Mark R. DeGalan, Mohamed K. Ruyan, Roger S. Newton and Raymond E. Counsell 775 Comparison of methods for incorporating a radioiodinated residualizing cholesteryl ester analog into low density lipoprotein

C. A. Roth, T. J. Hoffman, M. Corlija, W. A. Volkert and R. A. Holmes 783 The effect of ligand structure on glutathione-mediated decomposition of propylene amine oxime derivatives

P. R. Singh, M. Corlija, D. E. Troutner, A. R. Ketring and W. A. Volkert 791 Synthesis, characterization and biodistribution studies of a neutral-lipophilic Tc-99m N_3S_2 chelate

P. O. Zamora, J. A. Mercer-Smith, M. J. Marek, L. D. Schulte and B. A. Rhodes 797 Similarity of copper and technetium binding sites in human IgG

Meral T. Ercan, Tülin Aras and Işil S. Ünsal 803 Evaluation of ^{99m}Tc-erythromycin and ^{99m}Tc-streptomycin sulphate for the visualization of inflammatory lesions

Book Review
G. C. Lowenthal 807

Number 8

Jochen Schuhmacher, Gábor Klivényi, William E. Hull, Ronald Matys, Harald Hauser, Holger Kalthoff, Wolf H. Schmiegel, Wolfgang Maier-Borst and **Siegfried Matzku**

809 A bifunctional HBED-derivative for labeling of antibodies with ^{67}Ga, ^{111}In and ^{59}Fe. Comparative biodistribution with ^{111}In-DTPA and ^{131}I-labeled antibodies in mice bearing antibody internalizing and non-internalizing tumors

U. P. S. Chauhan, A. Babbar, R. Kashyap and **R. Prakash**

825 Evaluation of a DMSA kit for instant preparation of ^{99m}Tc(V)–DMSA for tumour and metastasis scintigraphy

Quet Fah Ahkong and **Colin Tilcock**

831 Attachment of ^{99m}Tc to lipid vesicles containing the lipophilic chelate dipalmitoylphosphatidylethanolamine–DTTA

S. P. Hume, A. A. Lammertsma, J. Opacka-Juffry, R. G. Ahier, R. Myers, J. E. Cremer, A. L. Hudson, D. J. Nutt and **V. W. Pike**

841 Quantification of *in vivo* binding of [^{3}H]RX 821002 in rat brain: evaluation as a radioligand for central α_2-adrenoceptors

S. P. Hume, A. A. Lammertsma, C. J. Bench, V. W. Pike, C. Pascali, J. E. Cremer and **R. J. Dolan**

851 Evaluation of *S*-[^{11}C]citalopram as a radioligand for *in vivo* labelling of 5-hydroxytryptamine uptake sites

C. Crouzel, M. Guillaume, L. Barré, C. Lemaire and **V. W. Pike**

857 Ligands and tracers for PET studies of the 5-HT system—current status

Christer Halldin, Kjell Någren, Carl-Gunnar Swahn, Bengt Långström and **Henrik Nybäck**

871 (*S*)- and (*R*)-[^{11}C]nicotine and the metabolite (*R*/*S*)-[^{11}C]cotinine. Preparation, metabolite studies and *in vivo* distribution in the human brain using PET

Sami S. Zoghbi, Ronald M. Baldwin, John P. Seibyl, Mohammed S. Al-Tikriti, Yolanda Zea-Ponce, Marc Laruelle, Elzbieta H. Sybirska, Scott W. Woods, Andrew W. Goddard, Robert T. Malison, Ralf Zimmerman, Dennis S. Charney, Eileen O. Smith, Paul B. Hoffer and **Robert B. Innis**

881 Pharmacokinetics of the SPECT benzodiazepine receptor radioligand [^{123}I]iomazenil in human and non-human primates

T. N. Rao, Linda M. Gustavson, Ananthachari Srinivasan, Sudhakar Kasina and **Alan R. Fritzberg**

889 Kinetics and mechanism of reactions of S-protected dithiol monoaminemonoamide (MAMA) ligands with technetium: characterization of a technetium–thiolate–thioether–MAMA complex, a kinetic intermediate of the reaction

Theodore S. T. Wang, Rashid A. Fawwaz and **Ronald L. Van Heertum**

897 Photoreactive ^{111}In-cyclodextrin inclusion complex: a new heterobifunctional reagent for antibody labeling